


POWERFUL

VTScada[®] by Trihedral

Alarm and Event Management Standard Component



Out-of-the-Box Alarm and Event Management

Thanks to VTScada's integrated design, every new application includes pre-configured databases that support an unlimited number of process alarms and events. Additionally, the standard VTScada Alarm Page provides an instantly intuitive alarm management interface. This approach reduces integration time and ensures that your mission-critical alarm features remain tightly integrated over the life of your system no matter how many times you expand your application or update VTScada.

ISA 18.2 Compliant - The re-imagined alarm page and augmented tools help you enact the best practices outlined in the ISA 18.2-2009 Alarm Management Standard.

VTScada Anywhere Client - This new Thin Client display option provides a consistent alarm interface across computers, phones, and tablets.

Intuitive Operator Interface


In the event of an alarm, simply click the blinking icon in the top right corner of every page to jump to the VTScada Alarm Page.

- See current, active, unacknowledged, and disabled alarms.
- Easily sort by date/time and filter by functional area or priority.
- Acknowledge, silence, or mute alarms even while configuring.
- Shelve alarms to stop alerts during maintenance and alarm floods.
- Print any range of the alarm or event history.
- Reduce eyestrain by choosing daytime and nighttime views.
- Adjust text and row size for optimal viewing on different screens.
- Access a time-stamped list of system events (e.g., logons or setpoint changes).

Advanced Situational Awareness

- Instantly identify the status and priority of each alarm in the list.
- Plot the associated tag's data or open related displays.
- Use a combination of text, symbols, color, and sound to best meet the visual needs of your team (e.g., color vision deficiency).
- Provide context by adding encrypted operator notes to alarms. Require notes when acknowledging, shelving, or un-shelving alarms.
- 'Alarm Details' dialog provides an overview of each alarm's configuration, history, and notes.
- Secure remote Thin Client access allows operators to manage alarms from anywhere using their own mobile devices.
- New VTScada Anywhere Client provides access to all advanced alarm analysis tools.

The New VTScada Anywhere Client



Encrypted Alarm Notes


Alarm Shelving Expiration

Alarm Diagnostics and Nuisance Alarm Reduction

Four new alarm reports help you to easily identify trouble spots in your physical system or the application's configuration.

		Area	Name	Description	Count	Percent
1	2	Zone 1	Local TCP Port\PLCSim\Tank 1\Tank Level	Monitor tank level HIGH	14	66.7 %
2	1	Zone 2	Local TCP Port\PLCSim\Tank 2\Tank Level	Monitor tank level HIGH	5	23.8 %
3	2	Zone 3	Local TCP Port\PLCSim\Tank 3\Tank Level	Monitor tank level HIGH	2	9.5 %

Bad Actors Report – A ‘bad actor’ is an alarm that is tripped excessively indicating problems with equipment, processes, or alarm configuration. Easily spot bad actors by scanning alarm events within a specific period, sorted by the number of activations.




Alarm Flood Report – An ‘alarm flood’ occurs when there are more alarm events in a specific period than operators can reasonably handle.


Quickly identify floods by moving your mouse over the blue bars to see the number of alarms tripped within periods of time. Click a bar to zoom into that period.

Date	Event	Area	Name	Description	User
2016-04-07 12:03:29	Active	Zone 1	Local TCP Port\PLCSim\Tank 1\Tank Level	Monitor tank level HIGH	
2016-04-07 11:00:50	Active	Zone 1	Local TCP Port\PLCSim\Tank 1\Tank Level	Monitor tank level HIGH	
2016-04-07 10:55:36	Active	Zone 2	Local TCP Port\PLCSim\Tank 2\Tank Level	Monitor tank level HIGH	
2016-04-07 10:54:05	Active	Zone 1	Local TCP Port\PLCSim\Tank 1\Tank Level	Monitor tank level HIGH	

History Report - This pre-filtered list shows only Active and Trip alarm events. Select an alarm then use the tools in the Analysis Toolbar to gather more information about it.



- Alarm Details
- Historical Data Viewer
- Open Associated Pages
- Alarm Properties




Distribution of Priorities – Easily compare your application’s alarm priority distribution with the ISA 18.2-2009 Alarms Management Standard.

Compare the priority distribution for both your reported history and current configuration with the distribution recommended in the ISA 18.2-2009 standard.

Multi Plant Architecture - Centralized Management, Autonomous Operations

Configure multiple alarm databases to separate operational alarms (e.g., plants and processes) for targeted alarm processing.



New VTScada applications include separate alarm and event databases. Existing applications are automatically converted.

- The Alarm Database Tag allows you to add more databases as required and synchronize them across a network.
- Filter the Alarm Page on any networked workstation to display lists from one or all of them.
- Locally stored databases allow operators to manage and modify alarms even when disconnected from alarm servers.
- Synchronized distributed databases keep your priceless alarm and event history safe and up-to-date.

Areas of Responsibility

Define what information users can see in large applications. For example, if an application monitors two plants, operators may see and respond to alarms from their respective plants, while the management team can see alarms from both plants.

Efficient Alarm Configuration

In seconds, authorized developers can create alarms in the Alarm Tag Properties Dialog in the VTScada Tag Browser. To simplify the process further, Alarm Tags are built right into the Analog Status and Digital Status Tags.

Developers can also embed customized alarm lists into any custom display using the VTScada Idea Studio.

Configure pop-up dialogs to ensure that operators are aware of high priority alarms.


Uninterrupted Alarm Management

VTScada's online configuration allows you to view and acknowledge alarms even while editing application tags, screens, and properties.


SCADA Alarm Security

Tightly control access to the Alarm Page and Alarm properties using application-level privileges assigned to specific user accounts in their areas of responsibility.

Users must log in with their own credentials to access alarm information via workstations, Thin Clients, and alarm notifications. Alarm privileges can be revoked instantly across the whole system.



Embedded Custom Alarm Lists



The Alarm Tag Configuration Dialog


Mobile Alarm Management

Optional Component

VTScada Thin Clients allow authorized users to view and acknowledge alarms from anywhere. Authorized Thin Client users can easily select the display format that best suits their screen size and data plan.

- **The VTScada Anywhere Client** – State-of-the-art Thin Client provides a consistent operator experience on any HTML5 device. Event-driven execution provides real-time data without overloading your data plan. Zero-footprint means nothing to download and install. No Java either.
- **VTScada Internet Client (VIC)** - Windows PCs - Identical to a VTScada Thick Client operator workstation.
- **Mobile Internet Client (MIC)** - HTML5 browsers on smartphones, tablets, PCs, and Macs - Text-based alarm interface optimized for smaller screens and data plans.

Note: WAP is discontinued as of 11.2.




The New VTScada 'Anywhere' Client

Alarm Notification System

Optional Component

When alarms happen, your SCADA system needs to alert the right people as soon as possible no matter where they might be.

- **Automatic Alarm Callout** - The VTScada Alarm Notification System (ANS) transmits alarm information anywhere via text-to-voice phone calls, SMS text messages, emails, and pagers.
- **Twilio[®]** - The Alarm Notification System provides an alternative to voice modems by supporting the web-based service Twilio.
- **Dial-in Phone Access** - Dial into your application using your application security account to check levels, acknowledge alarms, change setpoints, or send commands to equipment.
- **Built-In is Better** - VTScada's unique integrated approach vastly reduces integration time and ensures tight compatibility over the life of your system no matter what version you are running. The ANS shares the same tag and alarm databases as the VTScada application.
- **Licensing** - Add ANS to any VTScada Runtime or Development Runtime license by simply updating your software key.



Intuitive Roster Configuration.

TRY IT FOR YOURSELF

Download the 90-day Trial

VTScada.com/trial

Updated March 2, 2022